#### Appendix C

**Well Construction Diagrams** 

Northwest Boundary Area RCRA Facility Investigation Fort Buchanan, Puerto Rico




1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-01 Elevation: 33.23 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/4/2006

Survey Datum: UTM NAD83 Northing (m):867063.26 Easting (m):760469.08 End Date: 12/4/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-02 Elevation: 61.05 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/6/2006

Survey Datum: UTM NAD83 Northing (m): 866516.94 Easting (m): 760773.70 End Date: 12/7/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-03A Elevation: 36.49 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 10/27/2006

Survey Datum: UTM NAD83 Northing (m):867224.75 Easting (m):761011.49 End Date: 10/27/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-03B Elevation: 36.22 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 10/25/2006

Survey Datum: UTM NAD83 Northing (m): 867219.90 Easting (m): 760997.56 End Date: 10/26/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-04A Elevation: 42.00 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/30/2006

Survey Datum: UTM NAD83 Northing (m): 867307.44 Easting (m): 761301.34 End Date: 11/30/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-04B Elevation: 41.88 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/30/2006

Survey Datum: UTM NAD83 Northing (m): 867304.94 Easting (m): 761290.88 End Date: 11/30/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-05A Elevation: 38.10 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/10/2006

Survey Datum: UTM NAD83 Northing (m): 867702.22 Easting (m): 761461.54 End Date: 11/10/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-05B Elevation: 37.85 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/7/2006

**Survey Datum:** UTM NAD83 **Northing (m):** 867716.60 **Easting (m):** 761458.35 **End Date:** 11/9/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-06A Elevation: 13.53 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/6/2006

Survey Datum: UTM NAD83 Northing (m): 868268.25 Easting (m): 761468.57 End Date: 11/7/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-06B Elevation: 13.25 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/2/2006

Survey Datum: UTM NAD83 Northing (m): 868277.70 Easting (m): 761473.77 End Date: 11/3/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-07A Elevation: 9.17 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/1/2006

Survey Datum: UTM NAD83 Northing (m): 868789.89 Easting (m): 761817.53 End Date: 11/1/2006






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-07B Elevation: 9.24 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 10/30/2006

Survey Datum: UTM NAD83 Northing (m): 868796.37 Easting (m): 761825.39 End Date: 10/31/2006





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


## FORT BUCHANAN

Ref. Top of Well ID: MW-08A Elevation: 19.92 **Elevation Datum: WGS-84** Inner PVC Riser

**Geologist:** BILL HARVEY **Driller:** EDUARDO SANTIAGO **Start date:**12/7/2006

Survey Datum: UTM NAD83 **Northing (m):**868068.71 Easting (m): 762036.57 **End Date:** 12/7/2006

#### **Comment:**






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-08B Elevation: 19.66 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/4/2006

Survey Datum: UTM NAD83 Northing (m): 868073.87 Easting (m): 762044.56 End Date: 12/6/2006





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-09A Elevation: 39.12 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 5/10/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 867399.53 **Easting (m):** 761776.50 **End Date:** 5/11/2007

Comment	: Buchanan, south of D	PW yard
Depth (Ft.)	Well Diagram	Well Completion Description
0		Locked, protective casing cover Protective casing extends from 2 feet ags to 2.5 feet bgs PVC cap 2-inch ID PVC casing extends from 2 feet ags to 33 feet bgs CEMENT pad, 2'x2' Grouted from grade to 28 feet bgs
-5		
-10		
-15		
-20 -		
-25 -		Gauged depth to water 26.22 feet bgs
-30		BENTONITE seal from 28 to 30 feet bgs Fine SAND No. 1 from 30 to 43 feet bgs
-35 -		PVC slotted screen extends from 33 to 43 feet bgs
-40		
-45 +		Boring terminated at 46 feet bgs



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Ref. Top of Well ID: MW-09B Elevation: 38.90 **Elevation Datum:** WGS-84 Inner PVC Riser

**Geologist:** BILL HARVEY **Driller:** EDUARDO SANTIAGO **Start date:** 5/8/2007

Survey Datum: UTM NAD83 Northing (m): 867399.57 Easting (m): 761765.01 **End Date:** 5/10/2007

Comment:	Buchanan, south of D	PPW complex
Depth (Ft.)	Well Diagram	Well Completion Description
0 = -		Locked, protective casing cover Protective casing extends from 2 feet ags to 2.5 feet bgs PVC cap
-5		2-inch ID PVC casing extends from 2 feet ags to 57 feet bgs CEMENT pad, 2'x2'
-10		Grouted from grade to 51 feet bgs
-15	•	Gauged depth to water 16.35 feet bgs
-20 =		Sungen copin to water 10,55 reet ogs
-25		
-30		
-35		
-40		
-45		
-50		BENTONITE seal from 51 to 54 feet bgs
-55		Fine SAND No. 1 from 54 to 67 feet bgs
-60		PVC slotted screen extends from 57 to 67 feet bgs
-65 -		Boring terminated at 68 feet bgs



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


#### FORT BUCHANAN

Well ID: MW-10A Elevation: 29.48 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 4/26/2007

Survey Datum: UTM NAD83 Northing (m): 867936.54 Easting (m): 761748.49 End Date: 4/26/2007

**Comment:** Buchanan, on north side of DPW complex





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-10B Elevation: 29.32 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 4/24/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 867937.12 **Easting (m):** 761760.62 **End Date:** 4/25/2007

Comment: Buchanan, on north side of DPW complex		
Depth (Ft.)	Well Diagram	Well Completion Description
0 = -		Locked, protective casing cover Protective casing extends from 2 feet ags to 2.5 feet bgs PVC cap 2-inch ID PVC casing extends from 2 feet ags to 42 feet bgs
-5		CEMENT pad, 4'x4' Grouted from grade to 38 feet bgs
-10		
-15		
-20 -		
-25 -		Gauged depth to water 25.02 feet bgs
-30		
-35		
-40		BENTONITE seal from 38 to 40 feet bgs Fine SAND No. 1 from 40 to 52 feet bgs PVC slotted screen extends from 42 to 52 feet bgs
-45		1 VC Stotled Screen extends from 42 to 32 feet bgs
-50 -		Boring terminated at 55 feet bgs
-55 👤 📙		



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-11A Elevation: 11.93 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 5/15/2007

Survey Datum: UTM NAD83 Northing (m): 868463.45 Easting (m): 762208.24 End Date: 5/15/2007

Comment: Buchanan, near El Toro Creek		
Depth (Ft.)	Well Diagram	Well Completion Description
0 -		Locked, protective casing cover Protective casing extends from 2 feet ags to 2.5 feet bgs PVC cap 2-inch ID PVC casing extends from 2 feet ags to 20 feet bgs CEMENT pad, 2'x2' Grouted from grade to 16 feet bgs
-5 -	•	Council doubt to water 7 (5 fort has
-10 -		Gauged depth to water 7.65 feet bgs
-15 -		BENTONITE seal from 16 to 18 feet bgs
- - -		Fine SAND No. 1 from 18 to 30 feet bgs
-20 —		PVC slotted screen extends from 20 to 30 feet bgs
-25 —		
-30		Boring terminated at 30 feet bgs



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-11B Elevation: 11.40 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 5/11/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 868472.99 **Easting (m):** 762204.53 **End Date:** 5/14/2007

Comment: Buchanan, near El Toro Creek		
Depth (Ft.)	Well Diagram	Well Completion Description
0 +		Locked, protective casing cover Protective casing extends from 2 feet ags to 2.5 feet bgs PVC cap 2-inch ID PVC casing extends from 2 feet ags to 42.5 feet bgs
-5		CEMENT pad, 2'x2' Grouted from grade to 37 feet bgs
-10		Gauged depth to water 7.05 feet bgs
-10		
-15		
-20		
-25		
-30		
-35		
-40		BENTONITE seal from 37 to 39 feet bgs Fine SAND No. 1 from 39 to 52.5 feet bgs
		PVC slotted screen extends from 42.5 to 52.5 feet bgs
-45		
-50		
-55		Boring terminated at 56 feet bgs



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-12A Elevation: 10.51 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date:4/27/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 868572.11 **Easting (m):** 761632.83 **End Date:** 4/27/2007

Comment	: Buchanan, on Perime	ter Road near light pole 062
Depth (Ft.)	Well Diagram	Well Completion Description
0		24" round CEMENT pad Manhole casing extends from 0 to 1 feet bgs PVC cap 2-inch ID PVC casing extends from 0.33 to 24 feet bgs Grouted from 0.5 to 20.5 feet bgs
-5 <del> </del>		Gauged depth to water 6.19 feet bgs
-10 -		
-15		
-20 —		BENTONITE seal from 20.5 to 22.5 feet bgs Fine SAND No. 1 from 22.5 to 34 feet bgs
-25 —		PVC slotted screen extends from 24 to 34 feet bgs
-30 —		
-35		Boring terminated at 36 feet bgs



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-12B Elevation: 10.58 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date:4/30/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 868558.58 **Easting (m):** 761625.20 **End Date:** 5/1/2007

Comment	: Buchanan, on Perime	ter Road near light pole 062
Depth (Ft.)	Well Diagram	Well Completion Description
0 -		24" round CEMENT pad  Manhole casing extends from 0 to 1 feet bgs
-5	•	PVC cap  2-inch ID PVC casing extends from 0.33 to 46 feet bgs  Grouted from 0.5 to 42 feet bgs  Gauged depth to water 6.19 feet bgs
-10		Gaugea depart to water 0.17 feet ogs
-15		
-20 -		
-25		
-30 -		
-35 -		
-40		
-45		BENTONITE seal from 42 to 44 feet bgs  Fine SAND No. 1 from 44 to 56 feet bgs  PVC slotted screen extends from 46 to 56 feet bgs
-50		
-55 +		Boring terminated at 56 feet bgs




1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-13A Elevation: 10.25 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 5/8/2007

Survey Datum: UTM NAD83 Northing (m): 869204.47 Easting (m): 762397.50 End Date: 5/8/2007





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-13B Elevation: 10.31 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date:5/2/2007

Survey Datum: UTM NAD83 Northing (m): 869213.05 Easting (m): 762389.97 End Date: 5/4/2007

epth (Ft.)	Well Diagram	Well Completion Description
		24" round CEMENT pad
‡		Manhole casing extends from 0 to 1 feet bgs
4		PVC cap
-		2-inch ID PVC casing extends from 0.33 to 54 feet bgs
		Grouted from 0.5 to 49 feet bgs
0 +		Gauged depth to water 5.87 feet bgs
-		
5 🕂		
]		
0 +		
_		
5 🛨		
_		
0 +		
1		
_ = 1		
55 🕂		
-		
0 +		
-		
5		
.5 ]		
1		
50 🛨		BENTONITE seal from 49 to 51 feet bgs
_		Fine SAND No. 1 from 51 to 64 feet bgs
5 🕂		PVC slotted screen extends from 54 to 64 feet bgs
_		
‡		
0 🛨		
_		Boring terminated at 64 feet bgs




1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Ref. Top of Well ID: MW-14A Elevation: 22.16 **Elevation Datum: WGS-84** Inner PVC Riser

**Geologist:** BILL HARVEY **Driller:** EDUARDO SANTIAGO **Start date:**12/12/2007

**End Date:** 12/13/2007 Survey Datum: UTM NAD83 **Northing (m):**867653.23 Easting (m): 762300.5





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-14B Elevation: 21.71 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/7/2007

Survey Datum: UTM NAD83 Northing (m): 867665.24 Easting (m): 762299.44 End Date: 12/12/2007

Comment: Buchanan, east of DPW near creek			
Depth (Ft.)	Well Diagram	Well Completion Description	
0 =		Locked, protective casing cover Protective casing extends from 2.5 feet ags to 2.5 feet bgs PVC cap 2-inch ID PVC casing extends from 2 feet ags to 52 feet bgs	
-5		CEMENT pad, 4'x4' Grouted from grade to 46 feet bgs Gauged water level at 0 feet bgs	
-10			
-15			
-20 -			
-25 -			
-30 -			
-35			
-40			
-45		BENTONITE seal from 46.5 to 48 feet bgs	
-50		Fine SAND No. 1 from 48 to 62 feet bgs	
-55		PVC slotted screen extends from 52 to 62 feet bgs	
-60			



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


#### FORT BUCHANAN

Well ID: MW-15A Elevation: 19.95 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/16/2007

Survey Datum: UTM NAD83 Northing (m): 867972.17 Easting (m): 762517.27 End Date: 11/26/2007

Comment: Buchanan






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-16A Elevation: 20.26 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/3/2007

Survey Datum: UTM NAD83 Northing (m): 868253.74 Easting (m): 762728.02 End Date: 12/3/2007






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-16B Elevation: 20.90 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/30/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 868266.63 **Easting (m):** 762733 **End Date:** 12/3/2007






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

#### FORT BUCHANAN

Well ID: MW-17A Elevation: 15.92 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/6/2007

Survey Datum: UTM NAD83 Northing (m): 868669.72 Easting (m): 763170.59 End Date: 12/6/2007





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-18A Elevation: 19.45 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/17/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 868072.43 **Easting (m):** 763428.87 **End Date:** 12/17/2007

Comment	t: Buchanan, in Army R	eserve parking lot
Depth (Ft.)	Well Diagram	Well Completion Description
-5		24" round CEMENT pad Manhole casing extends from 0 to 1 feet bgs PVC cap 2-inch ID PVC casing extends from 0.33 to 35 feet bgs Grouted from grade to 30 feet bgs
-10 -		
-15 -		Gauged water level at 13.85 feet bgs
-20 -		
-25 -		
-30 +		BENTONITE seal from 30 to 32.5 feet bgs Fine SAND No. 1 from 32.5 to 45 feet bgs
-35 —		PVC slotted screen extends from 35 to 45 feet bgs
-40 -		
- <del>4</del> J		




1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-18B Elevation: 19.57 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 12/13/2007

Survey Datum: UTM NAD83 Northing (m): 868070.5 Easting (m): 763439.44 End Date: 12/17/2007





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


#### FORT BUCHANAN

Well ID: MW-19A Elevation: 28.31 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/28/2007

**Survey Datum:** UTM NAD83 **Northing (m):** 867330.27 **Easting (m):** 763313.61 **End Date:** 11/29/2007

Comment: Buchanan, near Lake





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-19B Elevation: 28.25 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: EDUARDO SANTIAGO Start date: 11/27/2007

Survey Datum: UTM NAD83 Northing (m): 867329.04 Easting (m): 763325.48 End Date: 11/28/2007

Comment: Buchanan, near Lake			
Depth (Ft.)	Well Diagram	Well Completion Description	
0 -		Locked, protective casing cover Protective casing extends from 2.5 feet ags to 2.5 feet bgs PVC cap 2-inch ID PVC casing extends from 2 feet ags to 47 feet bgs	
-5		CEMENT pad, 4'x4' Grouted from grade to 41 feet bgs Gauged water level at 4.31 feet bgs	
-10			
-15			
-20			
-25			
-30 =			
-35 -			
-40		BENTONITE seal from 41 to 43 feet bgs	
-45		Fine SAND No. 1 from 43 to 57 feet bgs	
-50		PVC slotted screen extends from 47 to 57 feet bgs	
-55			
-60			



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


#### FORT BUCHANAN

Well ID: MW-20 Elevation: 23.90 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 4/22/2008

Survey Datum: UTM NAD83 Northing (m): 867822.8646 Easting (m): 762620.3149 End Date: 4/23/2008

Comment: Buchanan





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


## FORT BUCHANAN

Well ID: MW-21 Elevation: 25.12 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 4/15/2008

Survey Datum: UTM NAD83 Northing (m): 867660.5503 Easting (m): 762681.5519 End Date: 4/15/2008

Comment: Buchanan






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-22 Elevation: 22.41 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 4/16/2008

Survey Datum: UTM NAD83 Northing (m): 867935.4267 Easting (m): 763032.7310 End Date: 4/17/2008





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

# FORT BUCHANAN

Well ID: MW-23 Elevation: 28.45 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 4/21/2008

Survey Datum: UTM NAD83 Northing (m): 867224.9043 Easting (m): 762468.1612 End Date: 4/21/2008

epth (Ft.)	Well Diagram	Well Completion Description
+		24" round CEMENT pad Manhole casing extends from 0 to 1 feet bgs Grouted from 0 to 19 feet bgs PVC cap 2-inch ID PVC casing extends from 0.33 to 23 feet bgs Gauged water level at 3.92 feet bgs
) —		
5 —		
20 -		BENTONITE seal from 19 to 21 feet bgs Fine SAND No. 1 from 21 to 33 feet bgs
-		PVC slotted screen extends from 23 to 33 feet bgs
25 —		
30 —		




1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-24 Elevation: 22.05 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 4/18/2008

Survey Datum: UTM NAD83 Northing (m): 867774.7022 Easting (m): 763098.2129 End Date: 4/18/2008






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: MW-25 Elevation: 19.96 Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 9/18/2008

Survey Datum: UTM NAD83 Northing (m): 867786.2588 Easting (m): 762360.9860 End Date: 9/18/2008





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


## FORT BUCHANAN

Ref. Top of Well ID: MW-26 Elevation: 19.93 **Elevation Datum: WGS-84** Inner PVC Riser

**Geologist:** BILL HARVEY **Driller:** FLOR RIVERA **Start date:**9/15/2008

Survey Datum: UTM NAD83 Northing (m): 867949.2386 Easting (m): 762407.0179 End Date: 9/16/2008

Comment: Buchanan





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

# FORT BUCHANAN

Well ID: OP-1 Elevation: Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date:12/12/2008

Survey Datum: UTM NAD83 Northing (m): Easting (m): End Date: 12/15/2008

Survey Buttum, O IN IN AD05 I TOTTIMING (M). Easting (M).							
Comment: Offpost wells							
Depth (Ft.)	Well Diagram	Well Completion Description					
0		Locked, protective casing cover Protective casing extends from 2 feet ags to 2.5 feet bgs PVC cap 2-inch ID PVC casing extends from 2 feet ags to 55 feet bgs CEMENT pad, 4'x4' Grouted from grade to 49 feet bgs					
-10							
-15							
-20							
-25							
-30							
-35							
-40							
-45							
-50		BENTONITE seal from 49 to 51 feet bgs Fine SAND No. 1 from 51 to 65 feet bgs					
-55		PVC slotted screen extends from 55 to 65 feet bgs					
-60							
-65	Distr <mark>—</mark> Distr						
-70							
-75 +							




1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: OP-2 Elevation: Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 12/17/2008

Survey Datum: UTM NAD83 Northing (m): Easting (m): End Date: 12/17/2008





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

# FORT BUCHANAN

Well ID: OP-3 Elevation: Ref. Top of Inner PVC Riser Elevation Datum: WGS-84

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 12/9/2008

Survey Datum: UTM NAD83 Northing (m): Easting (m): End Date: 12/10/2008

Survey Dat	tum:UTM NAD83 N	orthing (m):	Easting (m):	<b>End Date:</b> 12/10/2008				
Comment: Buchanan								
Depth (Ft.)	Well Diagram	Well Completion Description						
0 = -5 = -		PVC cap	tends from 2 feet ags to 2.5 feet ag extends from 2 feet ags to 74					
-10		Grouted from grade	to 69 feet bgs					
-15								
-20								
-25								
-30								
-40								
-45								
-50								
-55								
-60								
-65								
-70 =		BENTONITE seal f Fine SAND No. 1 fr	rom 69 to 71 feet bgs rom 71 to 84 feet bgs					
-75			extends from 74 to 84 feet bgs					
-80								
-85 🕂								



1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202


## FORT BUCHANAN

Ref. Top of Well ID: OP-4 **Elevation: Elevation Datum: WGS-84** Inner PVC Riser

Geologist: BILL HARVEY **Driller:** FLOR RIVERA **Start date:**12/5/2008

**Northing (m): End Date:** 12/5/2008 Survey Datum: UTM NAD83 Easting (m):

Comment: Buchanan






1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Ref. Top of Well ID: OP-5 **Elevation: Elevation Datum: WGS-84** Inner PVC Riser

Geologist: BILL HARVEY **Driller:** FLOR RIVERA **Start date:**12/1/2008

**End Date:** 12/3/2008





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN


Well ID: OP-6 Elevation (ft):13.47 Ref. Top of Inner PVC Riser Elevation Datum: UTM NAD 83

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 2/17/2009

Survey Datum: UTM NAD83 Northing (ft): 871169.7782 Easting (ft): 761896.6345 End Date: 2/18/2009

**Comment:** Offpost wells

Depth (Ft.) Well Diagram Well Completion Description





1319 Woodbridge Station Way, Suite 200 Edgewood, MD 21040 410-538-8202

## FORT BUCHANAN

Well ID: OP-7 Elevation (ft):14.24 Ref. Top of Inner PVC Riser Elevation Datum: UTM NAD 83

Geologist: BILL HARVEY Driller: FLOR RIVERA Start date: 2/19/2009

Survey Datum: UTM NAD83 Northing (ft): 871527.8845 Easting (ft): 762653.3993 End Date: 2/20/2009

**Comment:** Buchanan

Depth (Ft.) Well Diagram Well Completion Description

